



Synonym

DNAM1,CD226,PTA1

Source

Human DNAM-1, Fc Tag(DN1-H5257) is expressed from human 293 cells (HEK293). It contains AA Glu 19 - Asn 247 (Accession # [NP_006557](#)).

Predicted N-terminus: Glu 19

Molecular Characterization

DNAM-1(Glu 19 - Asn 247) NP_006557	Fc(Pro 100 - Lys 330) P01857
---------------------------------------	---------------------------------

This protein carries a human IgG1 Fc tag at the C-terminus.

The protein has a calculated MW of 52.6 kDa. The protein migrates as 65-85 kDa when calibrated against [Star Ribbon Pre-stained Protein Marker](#) under reducing (R) condition (SDS-PAGE) due to glycosylation.

Endotoxin

Less than 1.0 EU per µg by the LAL method.

Purity

>95% as determined by SDS-PAGE.

>90% as determined by SEC-MALS.

Formulation

Lyophilized from 0.22 µm filtered solution in Tris with Glycine, Arginine and NaCl, pH7.5 with trehalose as protectant.

Contact us for customized product form or formulation.

Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

Storage


For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.


SDS-PAGE



Human DNAM-1, Fc Tag on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95% (With [Star Ribbon Pre-stained Protein Marker](#)).

Bioactivity-ELISA

SEC-MALS




The purity of Human DNAM-1, Fc Tag (Cat. No. DN1-H5257) is more than 90% and the molecular weight of this protein is around 125-155 kDa verified by SEC-MALS.

[Report](#)


Discounts, Gifts,
and more!






Immobilized Rhesus macaque CD155 (Cat. No. CD5-R52H5) at 5 µg/mL (100 µL/well) can bind Human DNAM-1, Fc Tag (Cat. No. DN1-H5257) with a linear range of 2-31 ng/mL (QC tested).

Bioactivity-BLI




Loaded Human DNAM-1, Fc Tag (Cat. No. DN1-H5257) on Protein A Biosensor, can bind Human CD155, His Tag (Cat. No. CD5-H5223) with an affinity constant of 1.1 µM as determined in BLI assay (ForteBio Octet Red96e) (Routinely tested).



Loaded Human DNAM-1, Fc Tag (Cat. No. DN1-H5257) on Protein A Biosensor, can bind Human Nectin-2, His Tag (Cat. No. PV2-H52E2) with an affinity constant of 0.66 µM as determined in BLI assay (ForteBio Octet Red96e) (Routinely tested).

Bioactivity-FACS



Discounts, Gifts, and more!



Human DNAM-1 / CD226 Protein, Fc Tag (MALS verified)

Catalog # DN1-H5257



BIOSYSTEMS
Acro

FACS assay shows that recombinant Human DNAM-1 Protein, Fc Tag (Cat. No. DN1-H5257) can bind to 293T cell overexpressing human CD155. The concentration of DNAM-1 used is 0.03 µg/ml (Routinely tested).

Background

DNAM-1 (DNAM-1), a single-pass type I membrane protein, is also known as CD226 antigen and platelet and T cell activation antigen 1 (PTA1), which contains 2 Ig-like C2-type (immunoglobulin-like) domains. DNAM-1 is a ~65 kDa glycoprotein expressed on the surface of natural killer cells, platelets, monocytes and a subset of T cells. DNAM-1 mediates cellular adhesion to other cells bearing its ligands, CD112 and CD155, and cross-linking DNAM-1 with antibodies causes cellular activation. Furthermore, DNAM-1 can interact with PVR and PVRL2.

Clinical and Translational Updates

Discounts, Gifts,
and more!



➤ www.acrobiosystems.com

10/24/2024